Application/Control Number: 10/526,496 Page 2

Art Unit: 3754

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Applicant's attorney, **Mr. Jeffrey J. Howell** on Thursday, February 12, 2009.

The application has been amended as follows:

In the Claims:

Claim 20, line 4, after "bellows", delete---and---,

Claim 21, line 4, after "wall", insert---including bellows---,

Claim 22, line 4, after "wall", insert---including bellows---.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Patrick F. Brinson** whose telephone number is (571) 272-4897. The examiner can normally be reached on M-F 7:30-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, **Kevin P. Shaver** can be reached on (571) 272-4720. The fax phone

Application/Control Number: 10/526,496

Art Unit: 3754

number for the organization where this application or proceeding is assigned is 571-

273-8300.

Information regarding the status of an application may be obtained from the

Page 3

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR

only. For more information about the PAIR system, see http://pair-direct.uspto.gov.

Should you have questions on access to the Private PAIR system, contact the

Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like

assistance from a USPTO Customer Service Representative or access to the

automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-

272-1000.

/Patrick F. Brinson/

Primary Examiner, Art Unit 3754

P. F. Brinson

February 12, 2009